# HP Color LaserJet Enterprise M553 Series\*



A fast and energy-efficient printer that delivers vibrant, professional-quality colour documents.

Speed and colour are the perfect pair for your business. That's why this energy-efficient printer and Original HP Toner cartridges with JetIntelligence combine to produce vibrant, professional-quality documents right when employees need them.



HP Color LaserJet Enterprise M553n



HP Color LaserJet Enterprise M553dn



HP Color LaserJet Enterprise M553x

#### High-speed performance meets energy efficiency

- Print from sleep mode in as fast as 9 seconds.<sup>2</sup> Get two-sided prints as quickly as one—up to 40 ipm.<sup>3</sup>
- This printer uses exceptionally low amounts of energy—thanks to smart media-sensing and toner technology.<sup>4</sup>
- Equip employees to breeze through tasks with the adjustable 4.3-inch (10.9 cm) colour touchscreen.
- Consistently print high-quality documents across a variety of media—including A5—with automatic media sensing.

#### Your fleet—simple, protected, streamlined

- Centralize control of your print environment with HP Web Jetadmin<sup>6</sup>—and help build business efficiency.
- Protect sensitive data—use embedded or optional features, including HP JetAdvantage Security Solutions.<sup>5</sup>
- Easily develop, deploy, and add on HP and third-party solutions. Choose the optional 1 GB memory upgrade.<sup>7</sup>
- Increase security, restore control, and help avoid additional expenses—with HP JetAdvantage Private Print.<sup>8</sup>

#### **Print whenever business demands**

- Enable wireless direct printing in the office—from mobile devices—without accessing the network.<sup>9</sup>
- Print with just a touch of your NFC-enabled mobile device to this printer—no network needed. 10
- Easily print from a variety of smartphones and tablets—generally no setup or apps required.1

## More pages, performance, and protection

- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.<sup>11</sup>
- Count on professional quality at fast speeds—HP ColorSphere 3 toner works best with your HP printer.
- Help ensure the authentic HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with preinstalled cartridges. Replace them with optional high-yield cartridges.<sup>12</sup>
- Protect your investment with HP Care Pack. Let our HP certified engineers resolve all your technical issues.<sup>13</sup>

\*SKUs availability may vary by country. ¹ Local printing requires mobile device and printer be on the same network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details. ² Measured using ISO/IEC 17629. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ² Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov vs. competitive single-function colour laser printers with print speeds between 31 and 44 pages per minute (ppm) as of November 2014. Actual results may vary. ⁵ Some solutions require download or additional purchase. Learn more at hp.com/go/printingsolutions. ⁵ Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin. ' Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ® Available only in North America and select European countries. Standard only on the HP Laser Jet Enterprise M553x. Feature is available at no charge and requires the printer be connected to the Internet with web services enabled. For more information, see hpjetadvantage.com. § Feature avail

# **Product walkaround**


- Intuitive 10.9 cm (4.3-inch) colour VGA control panel tilts up for easier viewing
- 2 Home button (returns to home screen)
- 3 Hardware Integration Pocket (HIP) for solution integration
- 4 Easy-access USB port to print files directly<sup>1</sup> Right door (access to fuser)
- 6 Convenient front on/off switch
- 7 100-sheet multipurpose tray
- 8 Front door access to Original HP Toner cartridges with JetIntelligence
- 9 Lower-right door (access to print path)
- 10 Two 550-sheet input trays for a 1,200-sheet total input capacity
- 11 250-sheet output bin
- 12 Built-in wireless direct<sup>2</sup>/NFC touch-to-print<sup>3</sup>
- 13 Built-in automatic two-sided printing
- 14 1 GB memory and a 1.2 GHz processor
- 15 Access port for optional Kensington-style lock
- 16 HP Jetdirect Gigabit/Fast Ethernet embedded print server
- 17 Hi-Speed USB 2.0 printing port
- 18 Hi-Speed USB 2.0 port (for connecting third-party devices)

#### HP Color LaserJet Enterprise M553x shown



I/O panel close-up

# Series at a glance



An administrator must enable the easy-access USB port before use. Wireless direct printing is standard on the HP Color Laser Jet Enterprise M553x only. Requires purchase of optional HP Jetdirect 3000w NFC/wireless accessory, available fall 2015, for the M552dn and M553dn models. It is not available for the M553n model. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting. Touch-to-print capability is standard on the HP Color Laser Jet Enterprise M553x only. Requires purchase of optional HP Jetdirect 3000w NFC/wireless accessory, available fall 2015, for the M552dn and M553dn models. It is not available for the M553n model. Mobile device must support near-field communications (NFC)-enabled printing. For more information, see hp.com/go/mobileprinting. We Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Purchase of optional paper trays required to reach maximum input capacity.

#### **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

**Optimized Care (optimum performance and stability):** 4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

## Standard Care (high level of uptime): Next

Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

**Basic Care (minimum recommended support):** Next Business Day Onsite Support

**4 hr Onsite Support:** Onsite support within four hours after a service call received within the coverage window

**Next Business Day Onsite Support:** Onsite service the next business day after the service call is received

#### **Maintenance Kit Replacement Service:**

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

**Installation with Network Configuration Service:** Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices



















# **Top Features**

**Product** 

With the fast pace of business, there's no time to stop and wait. Ensure workgroups have tools to move business forward. This efficient printer is designed to conserve energy without sacrificing productivity—so employees can speed through tasks.

Workgroup needs are wide-ranging. Keep them all covered effortlessly, with a full suite of advanced and innovative HP JetAdvantage solutions<sup>2</sup> that simplify fleet management and help make printing secure.

Business is mobile, and so is your workforce. Help them print the documents they need on the move—whether they're headed to the office or to a meeting—with easy printing from a range of mobile devices,¹ enhanced by HP JetAdvantage solutions.²

Bring out the best in your printer—get more high-quality pages than ever. Use Original HP Toner cartridges with JetIntelligence for better performance, higher energy efficiency, and the authentic HP quality you paid for—unlike the competition.<sup>3</sup>

B5L24A B5L25A	HP Color LaserJet Enterprise M553n HP Color LaserJet Enterprise M553dn
B5L26A	HP Color LaserJet Enterprise M553x
Accessories	
B5L34A	HP Color LaserJet 550-sheet Media Tray
B5L28A	HP Internal USB Ports
B5L29A	HP Secure High Performance Hard Disk Drive
G6W84A	1 GB 90-pin DDR3 DIMM
B5L51A	HP Color LaserJet Printer Cabinet
F5S62A	HP Trusted Platform Module Accessory
G6W84A	1GB 90-pin DDR3 DIMM

#### Supplies and Maintenance Kits<sup>4</sup>

CF360A	HP 508A Original Black LaserJet Toner Cartridge (~6,000 pages)
CF360X	HP 508X High Yield Original Black LaserJet Toner Cartridge (~12,500 pages)
CF361A	HP 508A Original Cyan LaserJet Toner Cartridge (~5,000 pages)
CF361X	HP 508X High Yield Original Cyan LaserJet Toner Cartridge (~9,500 pages)
CF362A	HP 508A Original Yellow LaserJet Toner Cartridge (~5,000 pages)
CF362X	HP 508X High Yield Original Yellow LaserJet Toner Cartridge (~9,500 pages)
CF363A	HP 508A Original Magenta LaserJet Toner Cartridge (~5,000 pages)
CF363X	HP 508X High Yield Original Magenta LaserJet Toner Cartridge (~9,500 pages)
B5L35A	HP LaserJet 110v Fuser Kit
B5L36A	HP LaserJet 220v Fuser Kit
B5L37A	HP Color LaserJet Toner Collection Unit

#### HP Care Packs

U8CG3E U8CG4E	HP 3-year Next Business Day + DMR Color LaserJet M553 Hardware Support HP 3-year 4h 9x5 + DMR Color LaserJet M553 Hardware Support
U8CG5E	HP 3-year 4h 13x5 + DMR Color LaserJet M553 Hardware Support
U8CG6E	HP 4-year 4h 9x5 + DMR Color LaserJet M553 Hardware Support
U8CG7E	HP 4-year 4h 13x5 + DMR Color LaserJet M553 Hardware Support
U8CG8E	HP 5-year 4h 9x5 + DMR Color LaserJet M553 Hardware Support
U8CG9E	HP 5-year 4h 13x5 + DMR Color LaserJet M553 Hardware Support
U8CH0E	HP 4-year Next Business Day + DMR Color LaserJet M553 Support
U8CH1E	HP 5-year Next Business Day + DMR Color LaserJet M553 Support
U8CJ4PE	HP 1-year Post Warranty Next Business Day + DMR Color LaserJet M553 Hardware Support
U8CJ4PA	HP 1-year Post Warranty Next Business Day + DMR Color LaserJet M553 Hardware Support
U8CJ5PE	HP 1-year Post Warranty 4h 9x5 + DMR Color LaserJet M553 Hardware Support
U8CJ6PE	HP 1-year Post Warranty 4h 13x5 + DMR Color LaserJet M553 Hardware Support
U8CJ7PE	HP 2-year Post Warranty Next Business Day + DMR Color LaserJet M553 Hardware Support

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

#### Paper

Contact HP via phone: Asia: 65 6253 8500

#### Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

HP LaserJet Fonts, Barcodes, and IPDS Emulation available at hp.com/go/laserjetfonts

To learn more about available infrastructure, management, and workflow solutions, visit hp.com/go/gsc

¹ Local printing requires mobile device and printer be on the same network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details. 
² Some solutions require download or additional purchase. Learn more at hp.com/go/printingsolutions.³ Based on cartridge yields for HP 507A compared with HP 508X Original HP LaserJet Toner Cartridges. For more information, see hp.com/go/learnaboutsupplies.⁴ Declared yield value in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details on ISO yields, see hp.com/go/learnaboutsupplies.

# **HP Color LaserJet Enterprise M553 Series**

Dates per springers    Marcus (Brant support provided)   Marcus (Brant sup	Technical specifications	HP Color LaserJet Enterprise M553n (B5L24A)  HP Color LaserJet Enterprise M553dn (B5L25A)	HP Color LaserJet Enterprise M553x (B5L26A)	
Mount in the very companied   Moun	Functions	Print only		
Bisch German, Add: Up to 38 gars, Black German, Add: Up to 28 gars, Black German, Add: Up to 28 gars, Claim Formach, Add: Up to 28 gars, Claim Formach, Claim Care, Claim Formach,		Manual (driver support provided)	c (ctandard)	
Bigs open cell				
Extra   Part residors   Black Bestler Property Story Black Bestler Property Bestler Bestler Property Bestler Be				
### Protectable of the Control of th	· -			
## Prince candings with the part of the pa				
Section processes (Control Configuration URS). Development URS, Paragraph (Aprilland Section 2015). The processes of proce			no, cotor (normat). Op to ooo x ooo apr	
Particle Administration Procure (No. 1997). See 1997 Agree of Service Procure (No. 1998). Proceedings of Service Procure (No. 1998). Proceedings of Service Processing Processin				
Printer Administrative Security (1997)  Printer Administrative Security (1997)  Printer Administrative Security (1997)  Printer Security (1997)  P			g (v 1 7)	
Generality  105 (Hamus, Johnson 19 Hamps, Johnso				
Sunday Connectably  Works print operating  Polish Experiment, Johnson Control  Polish Experiment, Johnson Control  Polish Experiment, Johnson Control  Sensitive Market Print, Pr	Timeer management		,,, in the section in solution, in thosy rights solution,	
Mobile print copality?  It is a print copality.  It is a print copality	Connectivity			
Medical print   Per shirtt, Agrice Anthresit*   Meganic control	Standard connectivity	USB; Ethernet; Jetdirect EIO; HP ePrint; Apple AirPrint™	USB; Ethernet; Jetdirect EIO; HP ePrint; Apple AirPrint™;	
Network records West Paddingt Ethernet embedded prim sever (blandard Supports (1988 - 1, 1005 part 1, 1005 pa				
Stendor chapible   Stendor Chapible   Via 16 Indicate Ethernet embedded print server (standard) Supports (1006se-7, 1000se-7, 1000se-7	Mobile print capability <sup>2</sup>	HP ePrint; Apple AirPrint™; Mopria-certified		
Well Particles (paperlies   Well Particles (protection of the Characterist (protect of protection)   Objected, enabled with purchase of a hardward acrossory   Objected, enabled with purchase of a hardward acrossory   Objected, protection of protection of the Characterist (protection)   Objected (protection)   Objec	Notwork roads	Ctandard (built in Cigabit Ethornat)	морга-сегіпеа	
Metros copatibly  Options, consider with purchased as hardware accessory  1. Calle agreed to 1. Calle agreed				
Total September   1.68 (september 2 GB Interrupt 1.08 (30 pp. pp. 1083 0049)				
The processor good in the control of			Yes, Embedded NFL/HP Wireless Direct	
Processor speed    12 GHz	-			
Paper Indian			uuu pages	
100-sheet multipurpose tray, 550-sheet mids arount tray 3, 550-sheet mids arount tray 4, 550-sheet mids around tray 5 to 500-sheet mids around tray		1.2 GHz		
Output  Poper (plain, light, bond, recycled, mid-weight, fleavy, mid-weight (glasy), people of people of people (plain), light, bond, recycled, mid-weight, fleavy, mid-weight (glasy), people of people (plain), light, bond, recycled, mid-weight, fleavy, mid-weight (glasy), people of people (plain), light, bond, recycled, mid-weight, fleavy, mid-weight (glasy), people (plain), people, mid-people, glasy), people (plain), light, people, mid-people, m			100 1 1 11 1 550 1 11 11 2	
Media view page (plant, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, cardsode, card glossy) closur transparency, labels, letterhead, envelope preprinted, preputihed, coloured, nopsuge liffun, user-defined.  Media view pix 1 Tay 1: 60 to 220 gint* (plana paper), 105 to 220 gint* (plana pa	input		550-sheet media input tray 3; Optional: 550-sheet media	
Peter Upper	Output	250-sheet output bin	, , , , , , , , , , , , , , , , , , , ,	
Tray 1: 60 to 220 g/m² (glain paper), 105 to 220 g/m² (glain paper), 207 get 100 g/m² (glain paper), 207 g/m² (glain paper), 2			k. card glossy) colour transparency, labels, letterhead, envelope	
Media sizes custom	ricala cype			
Try x 102 x 148 to 216 x 297 mm, Try x 31 002 x 148 to 216 x 297 mm, Try x 31 002 x 148 to 216 x 258 mm, Try x 31 002 x 148 to 216 x 258 mm, Try x 31 002 x 148 to 216 x 258 mm, Try x 31 002 x 148 to 216 x 258 mm, Try x 31 002 x 148 to 216 x 258 mm, Try x 31 002 x 148 to 216 x 258 mm, Try x 31 002 x 148 to 216 x 258 mm, Try x 31 002 x 148 to 216 x 258 mm, Try x 31 002 x 148 to 216 x 258 mm, Try x 32 to 22 x 148 to 216 x 259 mm, Try x 32 to 22 x	Media weight	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Trays 3*: 60 to 220 g/m² (plain paper),		
Truy 2: 102 x 148 to 216 x 297 mm, Truy 3: 102 x 148 to 216 x 356 mm, Diffound Truys 4: 102 x 148 to 216 x 356 mm, Diffound Truys 4: 102 x 148 to 216 x 356 mm, Diffound Truys 4: 102 x 148 to 216 x 356 mm, Diffound Truys 4: 102 x 148 to 216 x 356 mm, Diffound Truys 4: 102 x 148 to 216 x 356 mm, Diffound Truys 4: 102 x 148 to 216 x 356 mm, Diffound Truys 4: 102 x 148 to 216 x 356 mm, Diffound Truys 4: 102 x 148 to 216 x 356 mm, Diffound Truys 4: 102 x 148 to 216 x 356 mm, Diffound Truys 4: 102 x 148 to 216 x 356 mm, Diffound Truys 4: 103 x 148 to 216 x 32 x 148 to 216 x 356 mm, Diffound Truys 4: 103 x 148 to 216 x 356 mm, Diffound Truys 4: 103 x 148 to 216 x 356 mm, Diffound Truys 4: 103 x 148 to 216 x 148 to 2	Media sizes custom		Tray 1: 76 x 127 to 216 x 356 mm;	
Signature   Compatible operating systems   Compatible operating systems   Windows 05 campatible with in-Box Driver; Windows XP   Signature   Compatible operating systems   Windows 05 campatible with in-Box Driver; Windows XP   Signature   Compatible operating systems   Windows 05 campatible with in-Box Driver; Windows XP   Signature   Compatible operating systems   Windows 05 campatible with in-Box Driver; Windows XP   Signature   Compatible operating systems   Windows 05 campatible with in-Box Driver; Windows XP   Signature   Compatible operating systems   Windows 05 campatible with in-Box Driver; Windows XP   Signature   Compatible operating systems   Windows 05 campatible with in-Box Driver; Windows XP   Signature   Compatible operating systems   Windows 05 campatible with in-Box Driver; Windows XP   Signature   Compatible operating systems   Windows 05 campatible with in-Box Driver; Windows XP   Signature   Compatible operating systems   Windows 05 campatible with in-Box Driver; Windows XP   Signature   Compatible operating systems   Windows 05 campatible with in-Box Driver; Windows XP   Signature   Compatible with in-Box Driv			Tray 2: 102 x 148 to 216 x 297 mm; Tray 3: 102 x 148 to	
What's in the box  Printer; Four printersidade if PLaser is tomer carriciges; (yeld – 6,000 pages black and – 5,000 pages clouds; Tomer collection unit; Printer; Four preintabilised PLASER in the box  Printer; Four printersidade if PLaser is tomer carriciges; (yeld – 6,000 pages black and – 5,000 pages clouds; Tomer collection unit; Printer; Four preintabilised PLASER is printersidade (PLASER). Printersidade (PLAS	Dimensions (M v. D v. H)	450.470.200 ppp (10.110.115.7 in)		
Printer; Four preinstalled HPLaserlet toner cartridges (yield – 6,000 pages black and – 5,000 pages cloun); Toner collection unit; In-box documentation; Software CD; Power Cord; 100-sheet multipurpose tray 1; 550-sheet input tray 2  Warranty features  One-year, on-site warranty  Systems  Windows OS compatible with in-Box Driver: Windows XPI (573) all 32-bit additions (DP Home; XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-bit and 64-bit editions, Geodetian (Professional, etc.), Windows 7 all 32-bit and 64-bit editions (Professional, etc.), Windows 7 all 32-bit and 64-bit editions (Professional, etc.), Windows 7 all 32-bit and 64-bit editions (Professional, etc.), Windows 7 all 32-bit and 64-bit editions (Professional, etc.), Windows 7 all 32-bit and 64-bit editions (Professional, etc.), Windows 7 all 32-bit and 64-bit editions (Professional, etc.), Windows 7 all 32-bit and 64-bit editions (Professional, etc.), Windows 7 all 32-bit and 64-bit editions (Professional, etc.), Windows 8 (Professional, etc.), Wind				
In-box documentation; Software CD; Power Cord; 100-sheet multipurpose tray 1; 550-sheet input tray 2    Vivide -6,000 pages black and -6,000 pages colour?; Vary 2; 550-sheet input tray 2   Vivide -6,000 pages black and -6,000 pages colour?; Vary 2; 550-sheet input tray 3   Varianty features   Vivide -6,000 pages black and -6,000 pages black and -6,000 pages black and -6,000 pages colour?; Vary 2; 550-sheet input tray 2; 550-sheet input tray 2; 550-sheet input tray 3   Vivide -6,000 pages black and -6				
Windows OS compatible with in-Box Driver: Windows XP (SP3) all 32-bit editions (VP Home, XP Pro, etc.), Windows Vista all 32-bit editions (excluding RT OS for Tablets), Windows 1 (32-bit and 64-bit editions, Windows 8/8 x 1 all 32-bit editions (VP Home, XP Pro, etc.), Windows 1 (32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 1 (32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 1 (32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 1 (32-bit and 64-bit editions), Windows	what s in the box		(yield ~6,000 pages black and ~5,000 pages colour); Toner collection unit; In-box documentation; Software CD; Power Cord; 100-sheet multipurpose tray 1; 550-sheet inpu	
Windows Os compatible with In-Paox Priver: Windows XP (SP3) all 32-bit and 64-bit editions (WP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows Os (all 32-bit and 64-bit editions, Windows XP SP3 32-bit and 64-bit editions (evaluing) RT OS for Tablest), Windows Os compatible with Universal Privit Drivers From IP. comit. Windows XP SP3 32-bit and 64-bit editions (PV Home, XP Pro, etc.), Windows Vista all 32-bit and 64-bit editions (PV Home, XP Pro, etc.), Windows Vista all 32-bit and 64-bit editions (PV Home, XP Pro, etc.), Windows Vista all 32-bit and 64-bit editions (PV Home, XP Pro, etc.), Windows Vista all 32-bit and 64-bit editions (PV Home, XP Pro, etc.), Windows Vista all 32-bit and 64-bit editions (PV Home, XP Pro, etc.), Windows Vista all 32-bit and 64-bit editions (PV Home, XP Pro, etc.), Windows Vista all 32-bit and 64-bit editions (PV Home, XP Pro, etc.), Windows Vista all 32-bit and 64-bit editions (PV Home, XP Pro, etc.), Windows Vista all 32-bit and 64-bit editions (PV Home, XP Pro, etc.), Windows Vista all 32-bit editions (PV Home, Vista Pro, etc.), Windows Vista all 32-bit editions (PV Home, Vista Pro, etc.), Windows Vista all 32-bit editions (PV Home, Vista Pro, etc.), Windows Vista all 32-bit editions (PV Home, Vista Pro, etc.), Windows Vista all 32-bit editions (PV Home, Vista V				
all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows OS compatible with Universal Print Driver (From HP.com Windows XP SP3 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows OS compatible with Universal Print Driver (From HP.com Windows XP SP3 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows SP 31 all 32-bit and 64-bit edition		Windows 7 all 32-bit and 64-bit editions, Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows 0S compatible with Universal Print Driver (From HP.com): Windows XP SP3 32-bit and 64-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit and 64-bit editions (Home Basic Premium, Professional, etc.), Windows 7 all 32-bit and 64-bit editions, Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS		
Fonts and typefaces  105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts  4-line colour LCD; 19 buttons (Cancel job, Up and Down arrow, Select, Back, Home, 12-key and Help); 3 LED indicator lights	Minimum system requirements	PC: Windows XP (SP3) all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-bit and 64-bit editions, Windows 8/8. all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 15 all 32-bit and 64-bit editions (SP Forms, XP Pro, etc.), Windows Vista all 32-bit and 64-bit editions (Professional, etc.), Windows Vista and 132-bit and 64-bit editions (Professional, etc.), Windows 7 all 32-bit and 64-bit editions (Professional, etc.), Windows 7 all 32-bit and 64-bit editions (SP Home, XP Pro, etc.), Windows Vista all 32-bit and 64-bit editions (sexcluding RT 05 for Tablets); Wholie 05 (In-05 drivers): iOS, Android, Windows 8/8.1 all 32-bit and 64-bit editions (sexcluding RT 05 for Tablets); Mobile 05 (In-05 drivers): iOS, Android, Windows 8/8.110 RT; Linux 05 (In-05 HPLIP): SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x), Other OS: UNIX; CD-ROM or DVD drive, or Internet connection; Dedicated USB or network connection; DVD Wireless connection; 200 MB available hard disk space;		
Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier); Power consumption: 617 watts (Active Printing), 33.7 watts (Ready), 3.95 watts (Sleep), 1 watt (Auto-Off/wake on LAN), 0.1 watts (Auto-Off/Manual On), 0.1 watts (Ready), 3.95 watts (Sleep), 1 watt (Auto-Off/wake on LAN), 0.1 watts (Auto-Off/Manual On), 0.1 watts (Off)  Software included  Windows 05: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manual Mac 05: Welcome Screen, (Directs users to HP.com or OS App Store for LaserJet Software)  Acoustic  Acoustic power emissions: 6.5 B(A); Acoustic power emissions (ready): 4.7 B(A); Acoustic pressure emissions bystander (active, printing): 51 dB(A); Acoustic pressure emissions bystander (ready): 32 dB(A)  Environmental ranges  Operating temperature range: 15 to 30° C (59 to 81° F); Recommended operating temperature: 17 to 25° C (62 to 77° F); Non-operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH  Security management  Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPSec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerben Authentication; Support for WJA-10 IPSec Configuration using IPSec Plug-in; access port for Kensington-style lock  Safety approvals and requirements  IEC 60950-1:2005 +A1:2009 +A2:2013, EN 60950-1:2006 +A1:2010 +A1:2010 +A1:2011 +A2:2013, EN 60825-1:2007 / (EC 60825-1:2007 (Class 1 Laser Product), EN 62479:2010 / IEC 6247	Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal TrueType fonts (Andale Mono WorldType); 3 Internal TrueType fonts (Andale Mono WorldType); 4 Internal TrueType fonts (Andale Mono WorldType); 5 Internal TrueType fonts (Andale Mono WorldType); 5 Internal TrueType fonts (Andale Mono WorldType); 6 Internal TrueType fonts (Andale Mono WorldType); 7 Internal TrueType fonts (Andale Mono WorldType); 8 Internal TrueType fonts (Andale Mono WorldType); 9 Internal TrueType fonts (Andale Mono WorldType); 9 Internal TrueType fonts (Andale Mono WorldType); 9 Internal TrueType fonts (Andale Mono WorldType fonts); 9 Internal TrueType fon		
product varies by part number with # Option code identifier); Power consumption: <sup>6</sup> 617 watts (Active Printing), 33.7 watts (Ready), 3.95 watts (Sleep), 1 watt (Auto-Off/wake on LAN), 0.1 watts (Auto-Off/Manual On), 0.1 wa	Control panel	(Attention, Ready, Busy)		
Software included  Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manual Mac OS: Welcome Screen, (Directs users to 1H2.com or OS App Store for LaserJet Software)  Acoustic  Acoustic power emissions: 6.5 B(A); Acoustic power emissions (ready): 32 dB(A)  Acoustic pressure emissions bystander (ready): 32 dB(A)  Environmental ranges  Operating temperature range: 15 to 30° C (59 to 81° F); Recommended operating temperature: 17 to 25° C (62 to 77° F); Non-operating humidity range: 10 to 90% RH;  Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH  Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP PEAP EAP TLS), IPP over TLS, IPP ec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerben Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in; access port for Kensington-style lock  Safety approvals and requirements  IEC 60950-1:2005 +A1:2009 +A2:2013, EN 60950-1:2006 +A1:2010 -A11:2009 -A12:2011 +A2:2013, EN 60825-1:2007 /IEC 60825-1:2007 (Class 1 Laser Product), EN 62479:2010 / IEC 62479:201	Power	Power supply type: Internal (Built-in) power supply: Power supply required: Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier): Power consumption: 617 watts (Active Printing), 33.7 watts (Ready), 3.95 watts (Sleep), 1 watt (Auto-Off/wake on LAN),		
Acoustic Acoustic power emissions: 6.5 B(A); Acoustic power emissions (ready): 4.7 B(A); Acoustic pressure emissions bystander (active, printing): 51 dB(A); Acoustic pressure emissions bystander (ready): 32 dB(A)  Environmental ranges Operating temperature range: 15 to 30° C (59 to 81° F); Recommended operating temperature: 17 to 25° C (62 to 77° F); Non-operating humidity range: 10 to 90% RH; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH  Security management Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.11X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerben Authentication; Support for WIA-10 IPsec Configuration using IPsec Plug-in; access port for Kensington-style lock  Safety approvals and requirements IEC 60950-1:2005 +A1:2009 +A2:2013, EN 60950-1:2006 +A1:2010 +A1:	Software included	Windows 05: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manua		
Environmental ranges  Operating temperature range: 15 to 30° C (59 to 81° F); Recommended operating temperature: 17 to 25° C (62 to 77° F); Non-operating humidity range: 10 to 90% RH;  Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH  Security management  Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerben Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in; access poort for Kensington-style lock  Safety approvals and requirements  IEC 60950-1:2005 +A1:2009 +A2:2013, EN 60950-1:2006 +A1:2010 +A1:2010 +A1:22011 +A2:2013, EN 60825-1:2007 (IC6 60825-1:2007 (Class 1 Laser Product), EN 62479:2010 / IEC 62479:2010  Supported network protocols  IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6,	Acoustic	Acoustic power emissions: 6.5 B(A); Acoustic power emissions (ready): 4.7 B(A); Acoustic pressure emissions bystander (active, printing): 51 dB(A);		
Security management Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerben Authentication using IPsec Plug-in; access port for Kensington-style lock  Safety approvals and requirements IEC 60950-1:2005 +A1:2009 +A2:2013, EN 60950-1:2006 +A1:2010 +A11:2009 +A12:2011 +A2:2013, EN 60825-1:2007 (ICass 1 Laser Product), EN 62479:2010 [VIC 62479:2010]  Supported network protocols IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6,	Environmental ranges	Operating temperature range: 15 to 30° C (59 to 81° F); Recommended operating temperature: 17 to 25° C (62 to 77° F); Non-operating humidity range: 10 to 90% RH;		
Safety approvals and requirements         IEC 60950-1:2005 +A1:2009 +A2:2013, EN 60950-1:2006 +A1:2010 +A11:2009 +A12:2011 +A2:2013, EN 60825-1:2007 / IEC 60825-1:2007 (Class 1 Laser Product), EN 62479:2010 / IEC 62479:2010 / IEC 62479:2010           Supported network protocols         IPV4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6,	Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos		
Supported network protocols IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6,	Safety approvals and requirements	IEC 60950-1:2005 +A1:2009 +A2:2013, EN 60950-1:2006 +A1:2010 +A11:2009 +A12:2011 +A2:2013, EN 60825-1:2007 / IEC 60825-1:2007 (Class 1 Laser Product),		
MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Bindery, NDPS, ePrint	Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, V		

#### To learn more, visit hp.com

© Copyright 2015 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. NetWare® is a trademark of Novell, Inc. PANTONE is the property of Pantone, Inc.

