







NETWORK

Lexmark E360 Series

Lexmark E360d

Lexmark E360dn



Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their turnover on printing, and that active print management can cut office print costs by up to 30%1, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

2012, Network Document Solutions Consulting Service», August, 2008

Rapid and reliable laser printing is essential for any office, whether it's for an individual desktop user or to be shared in a small-workgroup environment. The Lexmark E360d offers you the added boost in performance and versatility you need, with high-speed printing as fast as 40 pages per minute, plus a flexible range of features and options geared to your unique needs.



The little printer with big ambitions!

Looking for significant results without the significant price tag? The Lexmark E360 is the perfect team player for your business, delivering outstanding quality, fast print speeds and reliable, hassle-free operation.

- High-speed printing up to 40 ppm
- First page out as fast as 6.5 seconds thanks to the instant warm-up fuser
 • Intuitive 2-line LCD display
- True 1200 x 1200 dpi print quality



Flexible and versatile

Use the multiple input sources to print on various media types. And choose from an attractive range of options to configure your printer to your specific needs, including versatile paper handling and expanded memory for printing araphics-intensive documents.

- 50-sheet multipurpose feeder
- Optional paper drawers to boost input capacity
- Expandable memory up to 288MB
- Network-ready model for easy workgroup sharing



A robust and reliable partner

Built for the long haul, the Lexmark E360 takes your workload seriously and provides you with confidence-boosting dependability. Robust and fully reliable, it keeps you running smoothly and maximises your uptime!

- Strong, sturdy design that's built to last
- Smooth, reliable paper feed to stay productive
- Maximum monthly duty cycle of up to 80,000 pages
- Backed by a comprehensive guarantee



Prints black, thinks green

Printing responsibly means everyone wins - your business, your budget and the environment! The Lexmark E360 is designed with eco-conscious features to help you reduce paper and save energy.

- Paper-saving duplex printing standard
- Eco-Mode reduces power consumption
- Instant warm-up fuser saves energy
- Lexmark Cartridge Return Program for easy recycling



Lexmark's guarantee to you

At Lexmark, we're always working hard to ensure you achieve maximum productivity and minimum downtime. For greater level of peace of mind, you can opt for one of our Lexmark service offerings detailed on www. lexmark.ca.

Lexmark E360 Series

Accelerated performance for demanding small workgroups

Small in size, BIG on performance!



Convenient multipurpose feeder

Print on different paper types, like envelopes, card stock or transparencies, without having to reload the drawer.



Simplified use

The intuitive 2-line operator panel guides you through printing and maintenance tasks with ease.



Expandable input

Add an extra input drawer to load a second paper type, or to boost your total input capacity to 850 sheets.



Extra power

With up to 288MB of memory and a 400 MHz processor, complex print jobs are delivered quickly.



Get exactly the performance you need



Lexmark E260

Convenient desktop printing for individual users or small workgroups

- Up to 35 ppm print speeds
- Integrated duplex-printing and network models available
- Optional input drawers
- •3.5K toner cartridges available
- Recommended monthly volume:
 250 to 2,500 pages

Available models: Lexmark E260, Lexmark E260d, Lexmark E260dn



Lexmark E360

Faster, more-versatile printing with duplex printing

- Up to 40 ppm print speeds
- 50-sheet multipurpose feeder
- Intuitive 2-line LCD display
- 3.5K and 9K Lexmark Toner Cartridges available
- Recommended average volume:
 740 to 6,000 pages

Available models: Lexmark E360d, Lexmark E360dn



Lexmark E460


Compact yet built for demanding higher volume workgroup printing

- User-friendly 4-line operator panel with numeric pad
- Enhanced security and service features
- Compatible with Lexmark Forms and Bar Code Card Solution
- 3.5K, 9K and 15K Lexmark Toner Cartridges available
- Recommended average volume:
 1,500 to 10,000 pages

Available models: Lexmark E460dn, Lexmark E460dtn, Lexmark E460dtn,

* Wireless and dtn models not available in all countries

Printing	
Print Technology	Monochrome Laser
Print Speed (Letter, Black): Up to	40 ppm
Time to First Page (Black)	As fast as 6.5 seconds
Print Resolution, Black	1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600
	x 600 dpi
Memory, Standard	32 MB
Memory, Maximum	288 MB
Print Noise Level, Operating	53 dBA
Noise Level, Idle	inaudible dBA
Maximum Monthly Duty Cycle: Up to	80000 pages per month
Recommended Monthly Page Volume	740 - 6000 pages
Supplies	1
Supplies Yield	9,000*-page High Yield Toner Cartridge, 3,500*-page Toner
(*Average standard page yield value declared in accor-	Cartridge
dance with ISO/IEC 19752.)	Catago
Cartridge(s) Shipping with Product	2,300*-page Starter Return Program Toner Cartridge
Paper Handling	2,000 page clarer retain regian forter carriage
Paper Handling Standard	150-Sheet Output Bin, Integrated Duplex, Single Sheet Exit,
. apor riamaning etamatic	250-Sheet Input Tray, 50-Sheet Multipurpose Feeder
Paper Handling Optional	550-Sheet Drawer, Only one drawer may be installed at a time,
raper rianding Optional	250-Sheet Drawer
Paper Input Capacity, Standard	300 pages 20 lb or 75 gsm bond
Paper Input Capacity, Maximum	850 pages 20 lb or 75 gsm bond
Paper Output Capacity, Maximum Paper Output Capacity, Standard	
Paper Output Capacity, Standard Paper Output Capacity, Maximum	150 pages 20 lb or 75 gsm bond
Media Types Supported	150 pages 20 lb or 75 gsm bond
Media Types Supported	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparen-
Media Sizes Supported	cies, Refer to the Card Stock & Label Guide
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope C5 Envelope, DL Envelope, A6 Card, Executive, Folio, JIS-B5,
	Legal, Letter, Statement, Universal, Oficio
Comment in the	Legal, Letter, Staternerit, Orliversal, Olicio
Compatibility Printer Languages (Standard)	DCI Sa Seculation DCI & Seculation Developed Drinter Date
Frinter Languages (Standard)	PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data
Standard Ports	Stream (PPDS), PostScript 3 Emulation Centronics IEEE 1284 Bidirectional Parallel, USB 2.0 Specifica-
Standard Forts	
Misses of Windows On serting Systems Sys	tion Hi-Speed Certified
Microsoft Windows Operating Systems Sup-	2000, XP, Server 2003, XP x64, Server 2003 running Terminal
ported	Services, 2000 Server running Terminal Services, Server 2003
	x64, Server 2003 x64 running Terminal Services, Vista, Vista x64
	Server 2008, Server 2008 x64, Server 2008 running Terminal
	Services, Server 2008 x64 running Terminal Services
Apple Macintosh Operating Systems Supported	Mac OS X, Mac OS 9.x
General	
Product Warranty	1-Year Advanced Exchange
Product Certifications	www.lexmark.ca
Size (mm - H x W x D)	260 x 406 x 370 mm
Weight (kg)	13.83 kg
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Altitude: 0 - 2500 Meters
	(8,200 Feet), Humidity: 8 to 80% Relative Humidity for Tempera-
	tures less than 25.5°C (78°F)



Paper Handling Standard

	ling Standard
Paper Hand	ling Optional
Part #	Model
34S0425	Lexmark E360d
Part #	Laser Toner/Print Cartridge
E360H11A E260A11A E360H21A E260A21A E260X22G	E380, E460 High Yield Return Program Toner Cartridge E280, E380, E460 Return Program Toner Cartridge E380, E480 High Yield Toner Cartridge E280, E380, E480 Toner Cartridge E280, E380, E480 Thotoconductor Kit
Part #	Paper & Transparencies
70X7240	Laser Printer Transparencies (Letter)
Part #	Paper Handling
34S0550 34S0250	550-Sheet Drawer 250-Sheet Drawer
Part #	Memory Options
1022298 1022299 1021209 30G0828 30G0825	128MB DDR1-DRAM 256MB DDR1-DRAM 64MB Flash Card Japanese Font Card Korean Font Card
Part #	Connectivity
1021231 1021294 14T0030 14T0145 14T0230 14T0240 14T0220	Parallel (10") Cable USB (2" Meter) Cable Lexmark N4000e for Ethernet 10/100BaseTX Lexmark N4050e 802.11g Wireless Print Server MarkNet™ N7000e Fast Ethernet Print Server - USB MarkNet™ N7002e Fast Ethernet Print Server - Parallel MarkNet™ N702e Gigabit Ethernet Print Server
Part #	Extended Warranties
2350208 2350209 2350210 2350215 2350216 2350217 2350218 2350220	1 Year Extended Warranty, Advanced Exchange 2 Year Extended Warranty, Advanced Exchange 3 Year Extended Warranty, Advanced Exchange Upgrade to Onsite Service 1 year Extended Warranty Onsite Repair, Next Business Day 2 Year Extended Warranty Onsite Repair, Next Business Day 3 Year Extended Warranty Onsite Repair, Next Business Day 1-Year Onsite Service Renewal, Next Business Day

In the box

Lexmark E360d Laser Printer, Up to 2,300 pages* Starter Return Program Cartridge, Photoconductor Kit, Software and documentation CD, Setup Guide or sheet (local attachment), Power cord(s), Statement of limited warranty / guarantee, Operator panel language overlay, Safety sheet or booklet, Lexmark Cartridge Collection Program information

Other models available

Part # 34S0525 Lexmark E360dn: E260d + built-in network



Environmental commitment

Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www. lexmark.com/recycle

Cost saving and environmental features

- Energy Star compliant
- Duplex printing, print and hold (verify print), multi-up printing and quality printingon recycled paper help reducing paper consumption
- Selectable toner saving modes help reducing the amount of toner used on a page.
- Seturn program cartridges and end-of-lifeproduct management help reducing landfill





Maximum Monthly Duty Cycle

«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

Recommended Monthly Page Volume

-Recommended Monthly Page Volume* is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Trademark

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company, AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. Markbet and MarkNesion are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.

