

Lexmark MS610 Series

Power up your business. Print to impress.

The Lexmark MS610 Series delivers. With its speed, reliability and convenient features, your business can handle everyday document tasks more quickly and easily. Want productivity solutions? Get the MS610de.

More productivity. Compact design.

Power and speed come together in a space-saving size. Built to handle the requirements of a professional office, the MS610 Series produces high quality, professional prints in next to no time.

Print complex documents fast: Print documents with graphics and images effortlessly with up to 2.5 GB of upgradable memory and a powerful 800 MHz dual-core processor.

Reliable performance: Easily print up to 16,000 pages per month, plus enjoy fewer maintenance hassles, thanks to our stateof-the-art paper handling.











Unison

Run jobs without interruption: With an input capacity of up to 2,300 sheets and ultra-high yield toner cartridge options, you won't have to add paper or change cartridges as often.

Get work done quickly: Print up to 50 pages per minute–plus get your first page in as little as 6.5 seconds.

Professional results. Performance ready.

With our exceptional laser printers, it's easy to make a great impression. And our system is simple to use, thanks to the larger, easy-to-read control panel, ecofriendly supplies and more.

High resolution graphics: With up to true 1200x1200 dpi resolution, images and graphics stay crisp. Lexmark's Unison™ Toner ensures consistent print quality. **Easy-to-use displays:** The bright 2.4inch colour display lets you stay on top of your work. Need more control and productivity solutions? Get the solutionscapable MS610de with the 4.3-inch colour touch screen.

Innovative toner that optimises

performance: Get greater system performance with Lexmark's Unison[™] Toner, which delivers consistent image quality from first to last print.

Convenient controls: Preview your held jobs to print only the pages that you need, so you can make changes when you need to. Choose multi-image printing on one page or select two-sided printing to save paper.

Smoother workflows. Solution capable.


The MS610 Series delivers volumes of high quality documents without a hassle. For productivity solutions that let you print often-used forms, print on demand and more, get the MS610de.

Help workers do more: With standard Gigabit Ethernet networking, our system can print jobs from the network faster, so your teams stay productive. Plus, you can protect sensitive data using standard network security protocols. Streamline tasks with ease: Be more productive and efficient with our easyto-use colour touchscreen, customizable apps, optional card reader and more.

Save resources and the planet: An instant warm-up fuser, built-in 2-sided printing⁸, an ultra high yield toner option, plus Quiet, Hibernate and Eco modes minimize noise and save paper and energy.

Print at any time and anywhere⁴: With this system, you can print from desktops as well as mobile devices that can run applications.





Product specifications	Lexmark MS610dn	Lexmark MS610de	Lexmark MS610dte
Printing			
Display	2.4-inch (60 mm) Colour LCD display	Lexmark e-Task 4.3-inch (10.9 cm) colour touch screen	
Print Speed: Up to ⁶	Black: 50 ppm		
Time to First Page: As fast as	Black: 6.5 seconds		
Print Resolution	Black: 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi		
Memory / Processor	Standard: 256 MB / Maximum: 1280 MB / Dual Core, 0.8 MHz	Standard: 512 MB / Maximum: 2560 MB / Dual Core, 0.8 MHz	
Hard Disk	Not Available	Option available	
Recommended Monthly Page Volume ²	3000 - 16000 pages		
Maximum Monthly Duty Cycle: Up to ³	175000 pages per month		
Supplies ⁷			
Laser Cartridge Yields (up to) ¹	1,500-page Cartridge, 5,000-page Black High Yield Cartridge, 10,000-page Extra High Yield Cartridge, 20,000-page Ultra High Yield Cartridge		
Imaging Unit Estimated Yield: Up to	60000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage		
Cartridge(s) Shipping with Product ¹	6,000-page Starter Return Program Toner Cartridge		
Paper Handling			
Included Paper Handling	Feeder, Integrated Duplex, 250-		550-Sheet Input, 100-Sheet Multipurpose Feeder, Integrated Duplex, 250-Sheet Output Bin, 550-Sheet Tray
Optional Paper Handling	250-Sheet Tray, 550-Sheet Tray, 550-Sheet Lockable Tray		
Paper Input Capacity: Up to	Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 2300 pages 20 lb or 75 gsm bond		Standard: 1200 pages 20 lb or 75 gsm bond / Maximum: 2300 pages 20 lb or 75 gsm bond
Paper Output Capacity: Up to	Standard: 250 pages 20 lb or 75 gsm bond / Maximum: 250 pages 20 lb or 75 gsm bond		
Media Types Supported	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide.		
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio, A6		
General Information ⁴			
Standard Ports	USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A)	One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Rear USB 2.0 Specification Hi-Speed Certified port (Type A)	
Optional Network Ports / Optional Local Ports	MarkNet N8352 802.11b/g/n Wireless	MarkNet N8352 802.11b/g/n Wireless / Internal RS-232C serial, Internal 1284-B Bidirectional Parallel	
Noise Level: Operating	Print: 55 dBA		
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 2896 Meters (9,500 Feet)		
Limited Warranty - See Statement of Limited Warranty	1-Year Exchange Service, Next Business Day		
Size (mm - H x W x D) / Weight	306 x 399 x 382 mm / 15.7 kg	306 x 399 x 396.5 mm / 16.2 kg	414 x 399 x 396.5 mm / 20.9 kg

¹Average standard page yield value declared in accordance with ISO/IEC 19752. ²Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ³Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁴Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. ⁵Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁴Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ⁷Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/regions for more details.

© 2015 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a US registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.



